	Application No.	Applicant(s)
Notice of Allowability		
	10/773,200 Examiner	SILVERBROOK, KIA Art Unit
•	Lammer	Artonic
	Han S. Choi	2853
- The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatior GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed on 6</u>	<u>5/26/06</u> .	
2. The allowed claim(s) is/are <u>1,2,5-20,24-38,40 and 43-54</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the:		·
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-	948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawing the header according to 37 CFR 1.121(c	ngs in the front (not the back) of d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E D Nation of Informal D	stant Application (DTO 452)
 Notice of References Cited (P10-692) DNotice of Draftperson's Patent Drawing Review (PT0-948) 		atent Application (PTO-152)
2. Notice of Dialiperson's Patent Diawing Review (P10-948)	 Interview Summary Paper No./Mail Dat 	(PTO-413), e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0) Paper No./Mail Date 6/26/06 		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
=g.e	9. Other	
	SUPERV	STEPHEN MEIER ISORY PATENT EXAMINER

Application/Control Number: 10/773,200 Page 2

Art Unit: 2853

DETAILED ACTION

Terminal Disclaimer

1. The terminal disclaimer filed on 6/26/06 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of USSN 10/773185 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Reasons For Allowance

- 2. The following is an examiner's statement of reasons for allowance:
 - The primary reason for allowance for claims 1, 19, and 38 is due to the inclusion of the limitation which states "the heater element has a double omega shape with a first omega shape extending between the pair of electrodes positioned adjacent each other in a side wall of the bubble forming chamber, the pair of electrodes being separated by a first gap, and a second omega shape is inverted relative to the first and extending between a second gap in the first omega shape, the second gap in the first omega being positioned diametrically opposite the gap between the pair of electrodes, such that the heater element generates the gas bubble substantially symmetrically about an axis extending normal to the plane of the nozzle aperture." The limitation overcomes the prior art.

Application/Control Number: 10/773,200

Art Unit: 2853

 The secondary reason for allowance for claims 1, 19, and 38 is due to the explanation given in the 35USC103 – Obviousness section of the applicant's Remarks/Arguments page.

Page 3

- The reason for allowance for claims 2, 5-18, 20, 24-37, 40, 43-54 is due to their dependency on claims 1, 19, and 38 which are deemed allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Han S. Choi whose telephone number is (571) 272-8350. The examiner can normally be reached on Monday - Friday, 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/773,200

Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HSC 7/6/06

STEPHEN MEIER
SUPERVISORY PATENT EXAMINER

Page 4